

LED TRACK LIGHT SERIES



PARIFY
LIGHTING

Parify Lighting: Using light creatively to drive sales



3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
Leicester Mercury Business Awards: Excellence in Science & Technology 2019
Leicester Mercury Business Awards: Excellence in Innovation 2019
The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd
Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk






3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
Leicester Mercury Business Awards: Excellence in Science & Technology 2019
Leicester Mercury Business Awards: Excellence in Innovation 2019
The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd
Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk



PARIFY
LIGHTING



Spotlight

3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
Leicester Mercury Business Awards: Excellence in Science & Technology 2019
Leicester Mercury Business Awards: Excellence in Innovation 2019
The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd


Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk




PARIFY
LIGHTING

Lighting Distributions

Various optional angles of lighting distribution to meet different lighting requirements



IES (Graphical representation)



Optic Options



Anti-glare elements



3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
 Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
 Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
 Leicester Mercury Business Awards: Excellence in Science & Technology 2019
 Leicester Mercury Business Awards: Excellence in Innovation 2019
 The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd
 Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
 t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk




LED Trak Spotlight series: Available in black and white



TRAK 15W

LED Power : 12.6W(36vDC 350mA)
 Lamp Consumption : 15W
 Adapter : Powergear 3 phase(4-wire, 6-wire)
 Input voltage : 200-240vAC
 Size : $\phi 66 \times L125$ mm
 CRI : 80/90/97
 SDCM : <3
 Color of frame : white/black/customed



Reflector / 30°/40°/60° / UGR15-19

Lens / 15°/24°/36°/60° / UGR12-15



anti-glare elements

CCT available

Single color 2700-7000K
 3000K / 4000K / 5700K

Dimmable / controller available

TRIAC / 0-10v / DALI
 DIP switch


Package

Carton size: 44X29X33cm
 Gross weight: 14.4kg
 (20 pcs/carton)



TRAK 32W

LED Power : 28.8W(36vDC 800mA)
 Lamp Consumption : 32W
 Adapter : Powergear 3 phase(4-wire, 6-wire)
 Input voltage : 200-240vAC
 Size : $\phi 88 \times L150$ mm
 CRI : 80/90/97
 SDCM : <3
 Color of frame : white/black/customed



Reflector / 30°/40°/60° / UGR15-19

Lens / 15°/24°/36°/60° / UGR12-15



anti-glare elements

CCT available

Single color 2700-7000K
 3000K / 4000K / 5700K

Dimmable / controller available

TRIAC / 0-10v / DALI
 DIP switch


Package

Carton size: 56X31X33cm
 Gross weight: 15.3kg
 (15 pcs/carton)



TRAK 20W

LED Power : 18W(36vDC 500mA)
 Lamp Consumption : 20W
 Adapter : Powergear 3 phase(4-wire, 6-wire)
 Input voltage : 200-240vAC
 Size : $\phi 77 \times L140$ mm
 CRI : 80/90/97
 SDCM : <3
 Color of frame : white/black/customed



Reflector / 30°/40°/60° / UGR15-19

Lens / 15°/24°/36°/60° / UGR12-15



anti-glare elements

CCT available

Single color 2700-7000K
 3000K / 4000K / 5700K

Dimmable / controller available

TRIAC / 0-10v / DALI
 DIP switch


Package

Carton size: 50X30X39cm
 Gross weight: 17.8kg
 (20 pcs/carton)



TRAK 36W

LED Power : 32.4W(36vDC 900mA)
 Lamp Consumption : 36W
 Adapter : Powergear 3 phase(4-wire, 6-wire)
 Input voltage : 200-240vAC
 Size : $\phi 99 \times L160$ mm
 CRI : 80/90/97
 SDCM : <3
 Color of frame : white/black/customed



Reflector / 30°/40°/60° / UGR15-19

Lens / 15°/24°/36°/60° / UGR12-15



anti-glare elements

CCT available

Single color 2700-7000K
 3000K / 4000K / 5700K

Dimmable / controller available

TRIAC / 0-10v / DALI
 DIP switch

Package

Carton size: 57X48X37cm
 Gross weight: 13.2kg
 (12 pcs/carton)

3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
 Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
 Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
 Leicester Mercury Business Awards: Excellence in Science & Technology 2019
 Leicester Mercury Business Awards: Excellence in Innovation 2019
 The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd
 Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
 t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk




PARIFY
 LIGHTING

LED Linear Trak series: Available in black




LT20W

LED Power : 18W(36vDC 500mA)
 Lamp Consumption : 20W
 Adapter : 3 phase(4-way, 6-way)
 Input voltage : 200-240vAC
 Size : L600*W31*H48mm
 CRI : 80/90
 Beam angle : 90°
 UGR : 22



LT32W

LED Power : 28.8W(36vDC 800mA)
 Lamp Consumption : 32W
 Adapter : 3 phase(4-way, 6-way)
 Input voltage : 200-240vAC
 Size : L1000*W31*H48mm
 CRI : 80/90
 Beam angle : 90°
 UGR : 22



CCT available

Single color 2700-7000K

Dimmable / controller available

TRIAC / 0-10v / DALI

DIP switch

CCT available

Single color 2700-7000K

Dimmable / controller available


TRIAC / 0-10v / DALI

DIP switch




LT28W

LED Power : 25.2W(36vDC 700mA)
 Lamp Consumption : 28W
 Adapter : 3 phase(4-way, 6-way)
 Input voltage : 200-240vAC
 Size : L800*W31*H48mm
 CRI : 80/90
 Beam angle : 90°
 UGR : 22



LT40W

LED Power : 36W(36vDC 1000mA)
 Lamp Consumption : 40W
 Adapter : 3 phase(4-way, 6-way)
 Input voltage : 200-240vAC
 Size : L1200*W31*H48mm
 CRI : 80/90
 Beam angle : 90°
 UGR : 22



CCT available

Single color 2700-7000K

Dimmable / controller available

TRIAC / 0-10v / DALI

DIP switch

CCT available

Single color 2700-7000K

Dimmable / controller available

TRIAC / 0-10v / DALI

DIP switch

3 Year Guarantee for terms and conditions see www.parifylighting.co.uk

Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021

Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019

Leicester Mercury Business Awards: Excellence in Science & Technology 2019

Leicester Mercury Business Awards: Excellence in Innovation 2019

The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd

Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP


t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk




PARIFY
LIGHTING


LED Track Pendant series



 Lens / 15°/24°/36°/60° / UGR10-15

 Reflector / 30°/40°/60° / UGR13-19




 15°-60° Zoomable/ UGR10-15


 Anti-glare elements

Dimmable

TRIAC / 0-10V / DALI



TRIAC / 0-10V / DALI



Bluetooth / 2.4G / DALI DT8



Bluetooth / Zigbee / 2.4G



Product parameters


Anti-glare : UGR L12-15 R15-19
 Input voltage : 200-240vAC/100-277vAC
 Power factor : PF>0.9
 SDCM : <3
 Color of frame : white/black/customed
 Flicker Free : 0.002
 Life span : 50,000 hrs
 Warranty : 5 years




Model	Power	Size	Output			Package
			CRI80	CRI90	CRI97	
GS-PL20WE66	20W	φ66*L160mm	2200-2400lm	2000-2100lm	1800-2000lm	44X29X33cm (20 pcs/carton, 17.5kg)
GS-PL25WE77	25W	φ77*L170mm	2500-2800lm	2300-2600lm	2100-2300lm	50X30X39cm (20 pcs/carton, 20.8kg)
GS-PL36WE88	36W	φ88*L175mm	3800-4200lm	3500-3800lm	3200-3400lm	56X31X33cm (15 pcs/carton, 15.3kg)
GS-PL42WE99	42W	φ99*L175mm	4500-4800lm	4100-4400lm	3700-4000lm	56X31X33cm (15 pcs/carton, 15.3kg)

Dimmable

TRIAC / 0-10V / DALI



TRIAC / 0-10V / DALI



Bluetooth / 2.4G / DALI DT8



Bluetooth / Zigbee / 2.4G



Product parameters

Anti-glare : UGR 12-15
 Input voltage : 200-240vAC/100-277vAC
 Power factor : PF>0.9
 SDCM : <3
 Color of frame : white/black/customed
 Flicker Free : 0.002
 Life span : 50,000 hrs
 Warranty : 5 years



Model	Power	Size	Output			Package
			CRI80	CRI90	CRI97	
GS-PL20WZ66	20W	φ66*L160mm	1600-1800lm	1400-1600lm	1300-1400lm	44X29X33cm (20 pcs/carton, 17.5kg)
GS-PL25WZ77	25W	φ77*L180mm	2700-3000lm	2500-2700lm	2400-2600lm	50X30X39cm (20 pcs/carton, 20.8kg)
GS-PL36WZ88	36W	φ88*L190mm	3400-3500lm	3000-3200lm	2700-2800lm	56X31X33cm (15 pcs/carton, 15.3kg)
GS-PL42WZ99	42W	φ99*L200mm	3600-4000lm	3400-3800lm	3300-3400lm	56X31X33cm (15 pcs/carton, 15.3kg)

3 Year Guarantee for terms and conditions see www.parifylighting.co.uk
 Retail Jeweller UK Jewellery Awards: Finalist Service Provider of the Year 2021
 Retail Jeweller: UK Jewellery Awards: Finalist Service Provider of the Year 2019
 Leicester Mercury Business Awards: Excellence in Science & Technology 2019
 Leicester Mercury Business Awards: Excellence in Innovation 2019
 The National Association of Jewellers: Service Provider of the Year 2017

Parify Group Ltd
 Unit 14, The Courtyard, Stenson Road, Coalville, Leicestershire, LE67 4JP
 t: 01509 323 111 e: sales@parify.co.uk w: parifylighting.co.uk



PARIFY
 LIGHTING

Using light creatively to drive sales

Parify Lighting Ltd

Unit 14

The Courtyard

Whitwick Business Park

Stenson Rd

Leicester

LE67 4JP

UK

t: +44 (0)1509 323 111

e: sales@parify.co.uk

w: parifylighting.co.uk